



REF #	DESCRIPTION OF EQUIPMENT
1111C	Analyzer, Moisture; 105C Greater Than 25g Satorious, Metler, Ohaus, Etc.
0511F	Animal Cage Washer; Smaller Cabinet Style
0211R-2	Annealing Equipment; Inert Atmosphere Annealing Equipment
0211G-5	Autoclave, Benchtop
1009C	Autoclave; 36" X 48" X 72" Chamber Size Or Larger, Single Door
1009D	Autoclave; 36" X 48" X 72" Chamber Size, Single Door
0501B-2	Balance, Analytical; Analytical Balance 120g X 0.1mg Metler Toledo MS104S, XS104 Or Similar
0911D-9	Balance, Analytical; 0.0001g
1011C-1	Balance, Analytical; 0.1mg
0611C	Balance; Balance 0.1mg Resolution Repeatability
0611E-2	Balance; Balance Weight Up To 10kg
0911F-1	Balance; Batching Scale Or Balance To Read A Minimum Of 0.1mg To Weigh Boats, Spatulas, Stainless Mixing Bowls, Etc
0211D	Balance; Weighing Capacity Up To 50lbs
0411D	Bath, Sand; Fluidized Sand Bath 2 Units
1011B	Biosensor, Spr; Biacor T100 Or 3000 Surface Plasmon Resonance Instrument
0911F-2	Blender, Dry; Benchtop Dry Blender
0911F-3	Blender, Wet; Benchtop Wet Blender
0710E-5	Casework
0811A-4	Casework; ~ 40lf Of Casework, Metal Or Wood With Cabinets
0811A-5	Casework; ~ 41lf Of Casework/Work Space, Desk Style With Single Drawer Underneath
0111E-3	Casework; 90-100lf
0311C-1	Casework; Mobile Lab Benches And Work Areas, Prefer With Phenolic Resin Tops
0711B-3	Centrifuge, Benchtop; Refrigerated, Benchtop Centrifuge Eppendorf 5810 Or Similar
0710A	Centrifuge, Floor; Beckman Avanti J-E
0910B-1	Centrifuge, Floor; Floor Model Refrigerated Centrifuge With 6 Place Rotor, Hold 1l Buckets
0911G-2	Centrifuge, Micro; Standard 24 Tube, Table Top, ~ 13,000 Rpm, Eppendorf 5415, Beckman Or Comparable
1110E-4	CENTRIFUGE, TABLETOP; Tabletop, Refrigerated Centrifuge With 24 Place Rotor For 2ml Tubes
1111D	Chair, Lab; Lab Chair With Backrest For Work At Tissue Culture Hood
0911C	Chamber, Humidity
0511D	Chiller; Neslab Rte 110 4 Degree Chiller Or Similar
0411F-2	Chiller; Water Based Chiller, Temps To -20c
0711B-4	Chromatography, Column Heater; Prefer Timberline
0611H-4	Chromatography, Combustion Unit (Perhaps Thermo)
0711B-6	Chromatography, Degasser; Waters Compatible
0211F	Chromatography, Detector; Hitachi L3350 Refractive Index Detector
0209P	Chromatography, Elsd;
1110C	Chromatography, Fplc; Pharmacia Biotech Akta Purifier 10
1111D-5	Chromatography, Fplc; This Can Be Any Super Old System That Works (Biocad, Old Akta, Pharmacia, Waters, Etc) – Just Need A Gradient Pump, Uv Detector, And Fraction Collector (Not A Total Must). Looking At Flow Rates From @ 1-20 Ml/min.
0111D-6	Chromatography, Fplc; Uv Detector
0311E	Chromatography, Fraction Collector; For Use With Waters 2695 Hplc And Empower Software
1211D	Chromatography, Fraction Collector; Prefer Eldex
0411E-1	Chromatography, Gc/Ms; Prefer Agilent
0611H-3	Chromatography, Hplc
0511M-1	Chromatography, Hplc; Hplc With Fraction Collector
1211E	Chromatography, Hplc; Purification Hplc With Uv-Vis Detector
0711B-1	Chromatography, Hplc; Waters Alliance 2795 With Uv/Vis Detector
0409G	Chromatography, Injector; Agilent 7683 Series Injector For Agilent 6890
0711B-8	Chromatography, Ion Exchange;
0611H-1	Chromatography, Lc/Ms
0611H-2	Chromatography, Lc/Ms/Ms
0511M-2	Chromatography, Lp; Low Pressure Chromatography System Similar To Akta Or Biorad Biologic
0809D	Chromatography, Prep; Waters Delta Prep 4000 Or Similar
0611I	Clean Room; ~ 10' X 15' Clean Room Or Clean Room Components: Walls, Lighting, Hepas, Etc
0311C-2	Cleanroom, Modular
0211M	Cleanroom, Softwall; Dimensions TBD
0511C	Colorimeter; Hach Cel890 Or Pocket Size
0809C	Crusher; Lab Scale Crusher Or Pulverizer Similar To Bico Chipmunk Jaw Crusher http://www.bicoinc.com/assets/crushers_productbrochure.pdf
1011D	Dewar, Liquid Nitrogen; Similar To Thermo Locator 4 With Racks
1110B	Dishwasher, Commercial; Undercounter, Good Cosmetic And Functional Condition
0611H-5	Distillation/Titration; Kjeldahl Combined Distillation/Titration Unit Similar To A Kjeltac 2300
0911D-7	Drying Rack
0311J-5	Electro Impedance Spectroscopy;
1011C-2	Evaporation, Speed Vac; Table Top Speed Vac
0711B-7	Evaporator; Speed Vac Svc 100h Or Similar, Or Just Rotors




0410E	Explosion Proof Lab Equipment; Scales, Stir Motors, Heating Mantels, Variacs
1211B-1	Extruder, Benchtop
1111A	Extruder; Small Unit For Plastics
0511A	Fermentor; 30l Fermentor For Microbial Fermenting
0911F-4	Filler, Syringe Type
0211U-1	Freeze Dryer; 120 Sq Ft Freeze Dryer
0311F-2	Freezer, -20;
0611E-1	Freezer, -20; Lab Grade -20 Freezer (Not Frost Free)
0410J-1	Freezer, -35 Or Lower; Freezer To Go Ambient Down To -35c Or Lower, Programmable, Chamber Size ~ 12" X 10" X 10"
0111A	Freezer, -80
0311F-1	Freezer, -80;
0610B	FREEZER, -80; -80 Freezer, Upright, 110v Or 220v
0410A-1	Freezer, -80; Small Upright Or Chest
0111N-2	Freezer; Upright Standard Lab Freezer 17 Cu Ft Capacity
0211K	Furnace; Furnace Capable Of 1700 C, Minimum Internal Dimension 12" X 12" X 12" Maximum Internal Dimension 18" X 18" X 18", Front Loader Or Top Hat Style, Prefer 220v
0810B	Furniture, Desks; 5-7 Similar Looking Desks
0411J	Gamma Counter; Single Detector, Prefer Packard Cobra li Or Perkin Elmer Wizard
0511G	Gas Sample Concentrator; Similar To Nordic Kd200, Techne Fcs400d And Stuart Sbhconc/1
0711B-5	Generator, Hydrogen; For Use With Gc And/Or Gc/Ms
0911D-8	Glassware
1010WI	Glassware Washer; Or Parts Washer To Clean Machined (Extruded Aluminum) Parts For Oil Based Residue, Similar To Forma Scientific Or L
0711A-1	Glovebox; Controlled Atmosphere Glovebox, Mbraun Labstar, Unilab Or Similar, Two Gloves
0911B-3	Haze Measurement; Byk: Haze-Gard Plus To Be Used To Measure Haze In Films To Astm 1003 http://www.Byk.Com/En/Instruments/Appearance/Transparency/Haze-Gard-Plus.Html
0311B-2	Histology, Cassette Labeler
0311B-1	Histology, Microtome, Benchtop
0410D	Hood, Biosafety Cabinet; Class li With Uv Lights
0111N-1	Hood, Biosafety; 4' To 6' Biosafety Hood Class li Type A2
0311K	Hood, Biosafety; 4' Horizontal , Self Venting Biosafety Hood
0211P-1	Hood, Biosafety; Biosafety Cabinet, 4' Or Larger, Class li Type A/B3
1109D	Hood, Biosafety; Biosafety Hood Class li Type A2
1211C	Hood, Chemical Fume; 4' Chemical Fume Hood Prefer With Base Cabinets
0111F-2	Hood, Fume;
0111Q-2	Hood, Fume; 4' With Stand
0811A-1	Hood, Fume; 5'
0911F	Hood, Fume; 6' Fume Hood
0811A-2	Hood, Fume; 6' With Drain
0411B-1	Hood, Fume; Chemical Fume Hood
0809E	Hood, Glovebox; Glovebox With Built In Vacuum Pump, Built In Heater Capable Of At Least 100c, Purge Ability For Introduction Of N2 Or An Inert Gas, Preferably A Stainless Main Chamber With Good Visibility And The Ability To Introduce Items Through A Sealed Ante-Chamber, Similar To A Polaris Glove Box Atmosphere Chamber
1011A	Hood, Walk In; 2-3 Walk In Fume Hoods
1111J	Hoods, Biosafety; 4' Biosafety Cabinets, 4 To 5 Units
1111J	Hoods, Biosafety; Five X 4' Biosafety Cabinets
0710E-4	Hoods; Biosafety;
0611A-3	Imaging System; Imaging System For Sds Gels
0311F-4	Incubator, Water Jacketed;
1110E-1	Incubator; General, Small To Medium Size
0111R	Incubator; Similar To Binder Kb-115 Small Footprint, Refrigerated, 22.5c To 32.5c Temperature Range
1211A-2	Laser Engraver; Epilog 10 Watt Fibermark Laser System (Or Equivalent). 24" X 12" Marking Area Table
0511E	Liquid Handling; Beckman Coulter Biomek 3000 Liquid Handling Robot
0810D	LYOPHILIZER, PRODUCTION; Production Size Lyophilizer, Steam Sterilizable, Moveable Shelves For Stoppering, ~ 110sqft Of Shelf Surface
0111C	Lyophilizer; Benchtop
0111D-2	Lyophilizer; Benchtop
0111Q-1	Mass Spectrometer; Lc/Ms/Ms Triple Quad
0211R-1	Material Coater; Pilot In-Line Glass Coater To Include Vacuum, Sputters, Vacuum Drive System (Used To Coat Glass With Uv Coatings Or Ito Coating)
0311J-2	Material, Bench Slitters; Bench Slitters For Materials (Polymers)
0311J-4	Material, Rewinder; Rewinder Machine
0311J-3	Material, Winder; Winder Machine
0810C-2	Metallurgical, Sample Polishing
0111D-4	Meter, Ph
0110D	Meter, Ph/Conductivity
0411B-2	Microscope, Fluorescence
1201A-2	Microscope, Lenses; Microscope Lenses, Plan Ulwd (Ultra Long Working Distance) Or Plan Lwd (Long Working Distance)
0810C-1	Microscope, Metallurgical; Inverted Or Upright



0911H	Microscope, Polarized Light
0111E-1	Microscope, Stereo With Boom Arm And Camera
1109E-2	Microscope, Stereo; Stereoscope
0211B	MICROSCOPE, STEREO; For Light, Manual Assembly Work, 30x To 40x Max, Adjustable Boom
0111E-2	Microscope; Polarizing With Camera
1010WG	MICROSCOPE; Stereo Industrial Microscope With Place To Attach CCD Camera, Binocular, 5x-10x, 4-8" Working Distance
1201A-1	Microscope; Toolmakers Microscope They Should Have Both Reflected And Transmitted Light
1110D	Microscopes, Stereo; Stereo Microscopes That You Can Do Sautering Under
0910C	Mixer, Centrifugal; Flacktek Inc. Speedmixer Lab Size Centrifugal Mixer Or Similar Http://Www.Speedmixer.Com/Products.Htm
0211G-1	Mixer; 2 Gal Mixer, Restaurant Grad Ok
0710G	Osmometer; Precision Systems Osmette li Osmometer Fisher #12-827-31
0411C	Oven, Benchtop; ~ 13" X 13.5" X 16.5"
0410J-2	Oven, Benchtop; Capable Of 350c Or Higher, Chamber ~ 12" X 10" X 10" Could Be Furnace
0510E	Oven, Drying; Large Capacity Oven, 35 Cu Ft Preferred, Will Consider 48-50 Cu Ft
0111D-1	Oven; Benchtop, .7 Cu Ft Glassware Drying Oven
1211A-1	Plasma Cleaner; Acxys Model Uls-1 (Or Equivalent) Jet/Nozzle Cleaner Version For Atmospheric Pressure Jet Plasma Surface Preparation
0611A-1	Plate Reader; Simple 96 Well Plate Reader For Reading Od And Proteins
1110E-2	Plate Washer; Plate Washer For 96 Well Plates, Fully Operations With Bottles, Etc.
0110E	Platereader
1111G	POWER SUPPLY, DC; Unit That Can Put Out A Stable 5kv To 25kv Ideally Reversible
0811B	PUMP, PERISTALTIC; With High Flow Rate >1L/Min, 110v
0611A-2	Pump, Vacuum; Simple Vacuum Pump
0411F-1	Reactor; 1 - 5 Gallon Jacketed Chemical Reactor
0411E-2	Reactor; Reactor For Catalytic Processes Performed Under Elevated Temperature And Pressures @ A Volume Of A Few Hundred Ml Max 1l, Parr Reactor Or Similar
0111N-3	Refrigerator; Upright Lab Refrigerator 2c To 10c Temperature Range 20 Cu Ft Capacity
0311F-3	Refrigerators
0110C	Rotovap
0210D-1	Sample Prep; Mp Biomedicals Fast Prep-24 Homogenization System
0411H-3	Screener, Vibratory
0511A-2	SHAKER, FLOOR; Floor Model Shaker To Hold 250ml Erlenmyer Flasks And Run 300 RPM
0910D	Shaker, Orbital; Orbital Shaker Tables Minimum 12" X 12" Platform, Several Needed
0211A	Shaker/Incubator; Eppendorf Tube Shaker/Incubator, No Cooling Function Needed, But Capable Of Incubating At Specific Temp
0411H-1	Sieve, Vibratory; High Screen 8" To 12" Size. Similar To Rototap
0411H-2	Sieve, Wet;
0611F	Sonicator, Continuous Flow;
0510D	SONICATOR; 20khz Frequency
0911A-2	Spectrometer
0210F	Spectrometer; Hunter Color Spectrometer
0911B-2	Spectrophotometer; Hunterlab Ultrascan Pro, Hunterlab Ultrascan Vis, Or Hunterlab Colorquest Xe To Be Used To Measure Haze In Films To Astm 1003
0711B-2	Spectrophotometer; Prefer Thermo Scientific Genesys 10 Or 20 Vis Or Similar
1211B-2	Spheronizer, Benchtop
0111B	Spray Dryer; Small
0211G-3	Ss Cabinets
0211G-2	Ss Surgery Table
0311D	Ss Vessel; 30-40 Gallon Conical
0911D-11	Stir Plates; Minimum Speed 60 Rpm
0911E	Stomacher; Seward Or Other Popular Brand
0610E	Storage, Chemical; Dry Chemical Storage Similar To 3'w X 1'd 30"T
0911D-6	Storage, Flam Cabinet
0811A-3	Storage, Overhead; Overhead Cabinets With Glass Sliding Doors ~ 4'l X 30"H X 12"D 6 Units
0211G-4	Surgery, Imaging; C-Arm Or X-Ray Image Intensifier Comparable To An Oec 9400 Or 9600 Or Similar, More Specifically One With A Vascular Imaging Package And Capable Of Outputting Video At At Least 15 Fps And Preferably 30fps On A Dual-Monitor Setup. Need 30 To 32 Inches Of Clearance On The "Arms".
0911D-2	Tables, Lab; Free Standing Lab Tables ~ 5'-6'w X 3'd X 3't 2-3 Units
0211J	Tank, Ss; Tank, Prefer Ss, ~ 19.5"L X 12"-14"W X 8"-12"D With Ultrasonic Generation
0111K	Tapped Bulk Density Machine
0211L	Thermal Cycler; Mj Research Tetrad 225 Or Similar
1010WB	Titration; Karl Fischer Aquastar C3000 Titration
0711A-2	Titration; Karl Fischer Titration, Metler Toledo C20 Or Similar
0311J-1	Titration; Karl Fisher Titration
0211U-2	Transfer Cart; Hepa Filtered Transfer Cart For Use With Freeze Dryer
0211C	Vortexer
0511B	Warehouse, Vertical Carousel Shelf; Any Style, Prefer 9' W X 18" D, Vertical Carousel Shelving
1111B	Water Bath
0211E	Water Purification; Lab Scale, Higher Purification Than Di, 5l Container To Be Filled

WANT TO BUY LIST- DECEMBER 27, 2011



- Extronex Inc. is an equipment remarketer and does not own or take possession of any item. We put Buyers and Sellers together. Buyer will purchase directly from the Seller, and pay the Extronex Inc. remarketing fee separately.
- Equipment is described to the best of the Seller's knowledge; all items to be inspected by Buyer prior to finalizing purchase to confirm mfg, m/n, condition, what is included, etc.
- Pricing: most Sellers are open to reasonable offers, some are open to any and all offers, some have set prices, all offers to be submitted via email sfarr@extronex.com
- Warranty: items represented as-is, where-is, as inspected - no warranty. Buyer to inspect at the Seller's site
- Any and all concerns, issues or actions regarding decontamination and/or cleaning of the Equipment must be addressed by the Buyer with the Seller prior to sale.
- All items listed are subject to prior sale or removal from the sale process for any other reason by the Seller
- Buyer is responsible for all costs of transporting the Equipment from the Seller's location, including packaging, shipping costs, and set-up. Buyer is also responsible for Governmental fees, taxes, inspections and the like, if any.
- Terms are typically Prepay Wire Transfer or Cashier's Check to Seller, Prepay Cashier's Check to Extronex Inc. within time frame established by Seller. All purchases are final; no adjustments, refunds or warranties.
- Extronex Inc is acting as remarketing agent only and payment to them is for remarketing/finders fees only. Extronex Inc. makes no claim concerning the Equipment sold. Seller and Buyer expressly agree to indemnify and hold harmless Extronex Inc. and its officers, employees and shareholders from any and all claims made by any party as a result of this sale, including any costs or attorney fees.
- Go to www.extronex.com search the inventory by reference number, manufacturer or description and to view the photos or request photos via email